

## East Lancashire Hospitals NHS Trust (ELHT) Wound Care Formulary 2024

### Version: 1.5

The Wound Care Formulary was compiled by the Tissue Viability Nurses within the 5 Trusts in the Integrated Care Board (ICB).

The aim of this Wound care Formulary is:










- To provide practitioners with guidance and a selection of products which are for preferred use in the ELHT footprint, based on effectiveness, suitability, acceptability, and cost-effectiveness.
- Practitioners should aim to use a product included in the formulary in all cases and only use a non-formulary product when there is a good clinical reason for doing so.

As a health professional using a formulary you must:

- Use your professional skills, knowledge, and judgement to make a decision and justify the decisions you make.
- Ensure the advice you give is evidence based.
- Have the knowledge and skills for safe and effective practice.
- Recognise and work within the limits of your competence.
- Keep knowledge and skills up to date.
- Take part in learning/practice activities.
- Keep a clear record and accurate record of all the discussions you have, assessments you make, the treatment you provide and the effectiveness of the treatment.
- Ensure everyone is aware of the dressing regime.

<b>Contents</b>	<b>Page Number</b>
Wound bed Type	3
First line dressings	4
Second line dressings	11
Specialist only dressings	13
Compression bandages	15
MASD products	16
Topical negative pressure products	17
Wound manager bags	19
Dressing request and exemption form	21

**East Lancashire Hospitals NHS Trust**

Wound Bed	Example	Depth	Aim	Choice	
				Low - mod exudate	Mod - High exudate
Post op wound or sutures / strips		Superficial	Protect	Simple post op island dressing	Consider cause - ? refer
Pink (Epithelialising)		Superficial	Protect	Wound contact layer or Hydrocolloid or Island dressing	Foam Dressing / Wound Contact + Absorbent pad
Red (Granulating)		Superficial	Absorb / Protect	Foam or Wound Contact layer + Absorbent Pad	Wound Contact layer + Absorbent Pad
Red (Granulating)		Deep / Cavity	Absorb / Protect	Alginate / gelling fibre as filler + Foam or Absorbent Pad	Alginate / gelling fibre as filler + Foam or Absorbent Pad
Yellow (Sloughy)		Superficial	Remove slough	Honey + Foam or Absorbent Pad	Alginate / gelling fibre + Foam or Absorbent Pad
Yellow (Sloughy)		Deep / Cavity	Remove slough	Alginate / honey as filler + Foam or Absorbent Pad	Alginate / gelling fibre as filler + Foam or Absorbent Pad
Black (Necrotic / Eschar)		<b>Caution –not suitable to debride. Never debride black stable eschar from lower limb without seeking specialist advice.</b> In heel / foot pressure ulcers, this may serve as the body's natural protection and should not be removed. Consider use of Inadine strips around the wound edge to protect healthy skin from non-viable tissue			
		If appropriate wound for debridement consider speed of debridement (to reduce risk of infection). Conservative sharp (by trained Podiatrist / TVN; Autolytic (hydrogel / hydrocolloid) or Larvae (via TVN)			
Clinically Infected		Superficial or deep	Reduce bacteria in wound	Wound swab + Oral antibiotics + antimicrobial dressing. Review sensitivities and prescribe/change antibiotic accordingly. Change to alternative antimicrobial if no improvement. Ensure observations for sepsis are in place	

<b>Line</b>	<b>Type</b>	<b>Brand</b>	<b>Indications</b>	<b>Size</b>	<b>code</b>	<b>Quantity</b>
<b>First Line (Hospital &amp; Community)</b>	Alginate (Advanced Medical Solutions)	Activheal Alginate	<i>Use as a filler in medium to high exuding wounds to absorb exudate</i>	5x5cm	ELS139	10
				10x10cm	ELS140	10
				10x20	ELS141	10
	Adhesive Foam-Non-Silicone (3M)	Tegaderm Foam Adhesive (film adhesive)	<i>Foam dressing that allows for moderate absorbency</i>	10x11cm	ELA177	10
				14x15cm	ELA178	10
				19x22.2cm	ELA179	10
				14x14cm Heel	ELA180	10
				6.9x7.6cm	ELA492	10
				6.9x6.9cm	ELA493	10
	Foam silicone Adhesive (Coloplast)	Biatain Silicone Foam Adhesive	<i>Use of a silicone will reduce absorbency. This product should be reserved for those patients with fragile skin/those who experience pain on removal of adhesive dressings</i>	7.5cmx7.5cm	ELA425	10
				10cmx10cm	ELA451	10
				10cmx20cm	ELA1011	5
				12.5x12.5cm	ELA426	10
15cmx19cm Sacral				ELA1014	5	
Adhesive Foam (H&R Healthcare)	Kliniderm Foam Border (Klinion)	<i>Foam dressing that allows for moderate absorbency</i>	12.5x12.5CM	ELA1344	10	
			7.5x7.5cm	ELA1187	10	
			10x10cm	ELA1195	10	
			15x15cm	ELA1194	10	

	Tracheostomy Dressing (3M)	Tegaderm Foam Tracheostomy Dressing	<i>This foam is best suited to fit around the Tracheostomy site</i>	8.8x8.8cm fenestrated	ELA169	10
	Non-Adhesive Foam (Smith & Nephew)	Allevyn Non-Adhesive Foam	<i>Foams are best suited to wounds with a medium level of exudate.</i>	5x5cm	ELA129	10
10x10cm				ELA131	10	
20x20cm				ELA133	10	
10.5x13.5 (heel)				ELA100	10	
	Foam adhesive silicone lite (H&R Healthcare)	Kliniderm Foam Adhesive Silicone Lite	<i>See silicone section above</i>	4x5cm	ELA726	10
7.5x7.5cm				ELA728	10	
5x12.5cm				ELA729	10	
10x10cm				ELA730	10	
15x15cm				ELA731	10	
	Hydro Gel (Advanced medical Solutions)	Activheal Hydrogel	<i>Should be used to hydrate necrotic tissue to enable debridement.</i>	8g 15g	ELA639 ELG018	10 10
	Hydrofiber (ConvaTec)	Aquacel Extra	<i>Used as a filler in medium to high exuding wounds. Gelling fibre are more suitable for high wound exudate.</i>	5x5cm	ELY377	10
		10x10cm		ELY378	10	
		Aquacel Ribbon		15x15cm	ELY379	10
				1x45cm	ELY368	10
				2x45cm	ELY013	10
	Wound Contact Layer (Paul Hartmann Ltd)	Atrauman	<i>Basic first line low adherence</i>	5x5cm	EKA024	50
				5x5cm	EKA000	10
				7.5x10cm	EKA032	50
				7.5x10cm	EKA020	10

				10x20cm 20x30cm	EKA036 EKA016	30 10
	Silicone Contact Layer (KCI Medical)	Adaptic Touch	<i>Used under Topical Negative Pressure and for a non-adherent dressing in painful wounds.</i>	7.6x11cm 5x7.6cm 12.7x15cm 20x32cm	ELY355 ELY360 ELY361 ELY362	10 10 10 10
	Tubular Elasticated Bandage (Clinisupplies)	Clinifast	<i>Used to secure dressings to fingers, toes, arms, legs.</i>	5cmx10m Green line 7.5cm x10m Blue Line 3.5cm x 10m Red line 10.75cm x 10m yellow line 17.5cm x Beige line	EGP019 EGP007 EGP018 EGP056 EGP075	1 1 1 1 1
	Tubular Bandage	Comfitube		Size 01 Fingers/Toes Size 12 Fingers/Toes Size 56 Adult Limbs Size 78 Large adult	EGJ055 EGJ042 EGJ058 EGJ039	1 1 1 1
	Hydrocolloid (Paul Hartmann Ltd) (ConvaTec)	Hydrocoll Border	<i>Wounds with low exudate levels. They should not be used on diabetic foot ulcers</i>	10x10cm 5x5cm 12x18cm	ELM046 ELM065 ELM316	10 10 80
		DuoDerm Extra Thin		5x10cm 7.5x7.5cm 4.4x3.8cm 15x15cm	ELM317 ELM311 ELM068 ELM051	10 10 10 10

				10x10cm	ELM050	10
	Film (365 Health Care)	Clear Film	<i>For use as a primary dressing on very low exuding wounds or as a secondary dressing to secure.</i>	4cmx5cm	ELW552	100
				6cmx7cm	ELW550	100
				10cmx12cm	ELW542	50
				10cmx25cm	ELW880	30
				15cmx20cm	ELW544 (MPC-36590051, order on EProc)	25
Adhesive Film with Absorbent Sterile Pad (Mediq Healthcare Limited)	365 Transparent Island		<i>Low adhesive showerproof dressing</i>	5x7.2cm	ELW545	50
				8.5x15.5cm	ELW547	50
				10x30cm	ELW548	50
				10x20cm	ELW554	50
Tape (BSN Medical) (3M)	Hypafix		<i>Fabric tape</i>	10cmx10m	EHR113	1
				10cmx5m	EHR034	25
				2.5cmx10m	EHR030	1
				5cmx10m	EHR111	1
		Micropore Tape	<i>Paper tape</i>	2.5cmx1.3m	EHU072	100
Sterile water (CD Medical)	Irripod		<i>For cleaning wounds/wound debris.</i>	20ml	MRB742	25
Hydrogel Sheet (L&R Healthcare)	Kerralite Cool		<i>Used on dry and necrotic wounds to rehydrate the</i>	6x6cm	EME081	5
				12x8.5cm	EME082	5
				18x12.5cm	EME083	5

			<i>necrosis and aid autolysis.</i>				
	Bandages (Urgo)	K-Band	<i>Simple Bandages</i>	10cmx4m 5cmx4m	EDB039 EDB034	20 20	
		K-Lite		10cmx4.5m 10cmx5.25m(Long)	ECA100 ECA173	16 16	
		K-Soft		10cmx3.5m 10cmx4.5m(Long)	EPA028 ECA174	24 24	
	Simple Post-Op Dressing (Smith & Nephew) (Essity)	Post-Op Opsite Visible	<i>Use as a primary protective dressing for surgical closed wounds or minor wounds</i>	10x15cm 10x20cm 10x25cm 10x30cm 10x35cm 8x10cm	ELW227 ELW228 ELW229 ELW307 ELW308 ELW306	20 20 20 20 20 20	
		Leukomed Sorbact		7.2cmx5cm 8cmx10cm 8cmx15cm 10cmx20cm 10cmx25cm 10cmx30cm 10cmx35cm	ELY578 ELY579 ELY580 ELY581 ELY582 ELY583 ELY584	20 20 20 20 20 20 20	
	Honey (Advancis Medical) (Integralife)	Actilite		<i>Mild antimicrobial- can be used to debride wounds</i>	10x10cm 10x20cm 5x5cm	EJE042 EJE040 EJE079	10 10 10



		Medihoney Gel		10g	ELZ013	20
		MediHoney Tulle		5cmx5cm 10cmx10cm	EJE027 EJE028	5 5
		Medihoney Alpinate		5x5cm 10x10cm	EJE076 EJE000	10 5
	Odour Control (Clinimed Ltd)	Clinisorb	<i>Used to control wound odour</i>	10x10cm 10x20cm 15x25cm	ELV051 ELV053 ELV055	10 10 10
	Wound Closure (365 Healthcare)	Wound Closure Strip	<i>To close acute open wounds/skin tears</i>	6x38mmx6 3x75mmx5 6x75mmx3 6x102mm 13x102mm 25x102mm	EIR125 EIR126 EIR124 EIR123 EIR122 EIR127	50 50 50 50 50 50
	Simple Dressing (Richardson Healthcare)	Softpore	<i>Use as a primary protective dressing for surgical closed wounds or minor wounds.</i>	10x10cm 10x15cm 10x20cm 10x25cm 10x30cm 10x35cm 6x7cm	EIJ013 EIJ014 EIJ024 EIJ025 EIJ026 EIJ027 EIJ023	50 50 30 30 30 30 60
	Probe	Probe (Creed Medical)	<i>Used to measure cavity wounds</i>	10cm	ELZ1229	100

		Probe (Advancis)		15cm	ELZ865	50
	Medicated Bandages (Evolan Pharma AB)	Icthopaste	<i>Used to soothe and calm inflamed skin</i>	7.5cmx6m	EFA051	1
		Viscopaste		7.5cmx6m	EFA011	1
	365	Sterile Wound Care Pack	<i>Used as a sterile field</i>	Small Medium Large	EHC3256 EHC3257 EHC3258	80 80 80
	Absorbent Pads (Paul Hartmann Ltd) (Richardson Healthcare Ltd) (Absorbest)	Zetuvit Plus	<i>Absorbent dressing pads, can be stepped up and stepped down as per exudate levels</i>	10x10cm	EME046	10
				10x20cm	EME047	10
				20x40cm	EME128	10
				15x20cm	EME048	10
				20x25cm	EME049	10
		Xupad		10cmx12cm	EJA092	25
				10cmx20cm	EJA093	25
				20cmx20cm	EJA094	15
				20x40cm	EJA095	8
Kerramax Care	5x5cm	EME120	10			
	10x10cm	EME045	10			
		EME123	50			
	20x50cm	EME040	10			
	10x22cm	EME023	10			
		EME124	50			
		EME024	10			
		EME124	50			

	Iodine Based (KCI Medical) (Smith and Nephew)	Inadine	<i>1-3 days maximum wear time- short acting.</i>	5x5cm 9.5x9.5cm	EKB501 EKB502	25 25
		Iodosorb	<i>Effective treatment of bacteria and biofilms.</i>	10g ointment 20g ointment	EKB012 ELZ1228	4 2
		Iodoflex		10g paste 17g Paste	EKB008 EKB009	3 2
<b>2<sup>nd</sup> Line (Community or as per TVN Hospital)</b>	Alginate (ConvaTec)	kaltostat	<i>Use as a filler in medium to high exuding wounds to absorb exudate.</i>	10x20cm 5x5cm 7.5x12cm	ELS027 ELS229 ELS231	10 5 10
	Foam Adhesive (Smith & Nephew)	Allevyn Adhesive	<i>Foams are best suited to wounds with a medium level of exudate.</i>	10x10cm 7.5x7.5cm 12.5x12.5cm 17.5x17.5cm 12.5x22.5cm 22x22cm (sacral)	ELA113 ELA020 ELA024 ELA022 ELA046 ELA099	10 10 10 10 10 10
	Foam Adhesive Silicone (Smith & Nephew)	Allevyn Gentle Border	<i>Use of a silicone will reduce absorbency. This product should be reserved for those patients with fragile skin/those who experience pain on removal of adhesive dressings</i>	7.5x7.5cm 10x10cm 12.5x12.5cm 17.5x17.5 20cmx20cm 10cmx20cm	ELA359 ELA362 ELA361 ELA358 ELA1185 ELA1182	10 10 10 10 10 10

	Antimicrobial (BSN Medical)	Cutimed Sorbact	<i>Antimicrobial dressing- review use every 2 week</i>	7x9cm 4cmx6cm 7.5x7.5cm (Gel) 7.5x15cm (Gel)	ELZ1201 ELZ1203 ELY338 ELY339	10 40 10 10	
	Silicone Contact Layer (KCI Medical)	Adaptic Touch Digit	<i>Used for a non-adherent dressing in painful wounds to digits.</i>	2cm (small) 2.4cm (medium) 2.8cm (large) 3cm (extra-large) 2.8cm (toe)	EKJ004 EKJ005 EKJ006 EKJ007 EKJ008	10 10 10 10 10	
	Low Adherent Pad (H&R Healthcare)	Melolin		<i>Simple low-adherent dressing</i>	10x10cm 10x20cm 5x5cm	EJE013 EJE502 EJE011	150 100 100
		Telfa Clear					<i>Simple low-adherent dressing. Part of the Moisture Lesion Pathway.</i>
	Protease Modulator (Urgo) (Flen Healthcare)	Urgostart Plus Border		<i>Used as part of the leg ulcer pathway</i>	10x10cm 13x13cm 15x20cm	ELZ724 ELZ725 ELZ726	10 10 10
		Urgostart Plus Pad					10x10cm

				15x20cm	ELZ886	10	
		Flaminal Forte	<i>Can be used in cavity wounds. Antimicrobial properties.</i>	15g	ELG022	5	
	Debridement pad (B Braun)	Prontosan Debridement Pad	<i>Used to debride wounds/leg ulceration. Not to be used as part of leg ulcer washing.</i>	Tear drop shape	ELZ887	3	
	IV Film	Tegaderm IV	<i>PICC Line dressing Paediatric with securing tapes</i>	10cmx15.5cm 5cmx5.7cm	ELW174 ELW104	25 100	
<b>Specialist Only (Tissue Viability, Specialist Vascular Teams (acute/community)/ Podiatry/Diabetic Foot Podiatry direction only) *see exemption/dressing request form</b>	Irrigation Fluid (B Braun) (Schulke & Mayr Ltd)	Prontosan Solution	<i>Antibacterial wound irrigation</i>	350ml	ELY248	10	
		Octenilin		250ml	MRB1170	6	
	Antimicrobial Hydrogel (B Braun Medical Ltd) (Schulke & Mayr Ltd)	Prontosan Wound Gel	<i>Antibacterial wound gel</i>	30ml	ELZ213	1	
		Octenilin Wound Gel		20ml	MRB487	1	
	Advanced Gelling Fibre (CD Medical)	maxiocel		<i>Used as a filler in medium to high</i>	5cmx5cm	ELZ85003	10
					10cmx10cm	ELZ85000	10

			<i>exuding wounds. Gelling fibre are more suitable for high wound exudate. Has antimicrobial properties</i>	15cmx15cm	ELZ85001	10
	Hydrogel (Smith & Nephew)	Intrasite Gel	<i>Used for mixing of topical morphine.</i>	8g 15g 25g	ELG015 ELG000 ELG011	10 10 10
	Gel (Flen Healthcare)	Flamigel RT	<i>Used for the care of radiotherapy burns.</i>	100g 250g	ELY816 ELY817	1 1
	Antimicrobial Foam (H&R Healthcare)	Kendall AMD Antimicrobial Foam	<i>Antimicrobial foam.</i>	5cmx5cm 10cmx10cm 15cmx15cm 8.8cmx7.5cm (fenestrated) 10cmx20cm 2.5cmx0.4cm (disc) 2.5cmx0.7cm (disc)	ELA384 ELA386 ELA388 ELA385  ELA387 ELA590 ELA606	25 10 10 10 10 10 10
	Silver (Convatec) (Smith & Nephew) (B Braun Medical Ltd)	Aquacel Ag + Extra	<i>Contains silver-max 2 week use only.</i>	1cmx45cm 2cmx45cm 5cmx5cm 10cmx10cm 15cmx15cm	ELY518 ELY519 ELY514 ELY515 ELY516	5 5 10 10 5
		Acticoat Flex 3		5cmx5cm 10cmx10cm	ELY291 ELY292	5 12

				10cmx20cm	ELY293	12
		Acticoat Flex 7		5cmx5cm 10cmx12.5cm 15cmx15cm	ELY297 ELY298 ELY299	5 5 5
		Askina Calgitrol Paste		15g	ELZ1119	5
	Odour Absorbers (Convatec)	Carboflex	<i>Used to control wound odour</i>	10cmx10cm 15cmx20cm	ELV022 ELV020	10 5
	Protease Modulator (KCI Medical)	Promogran	<i>Used to kick start wound healing</i>	28cm2	ELZ001	10
		Promogran Prisma		28cm2	ELZ086	10
	Topical Haemoglobin spray (Molnlycke Health Care)	Granulox	<i>Haemaglobin spray</i>	12ml Canister	ELZ969	1
	Rapid capillary dressing (Richardson Healthcare)	Vacutex	Draws exudate from wound bed	5cmx5cm 10cmx10cm	ELY884 ELY891	10 10
	Absorbent pad (3M)	Kerramax Care	Absorbs exudate	5cmx5cm	EME120	10
	Hosiery Applicators	Roly	Sigvaris		EGD10833	1
<b>Hosiery Applicators (Community)</b>		Actiglide	L&R Healthcare			EUE049

		Ezy-As	Sallis Healthcare Ltd	Small (Red) Medium (Yellow) Large (Blue) Handle Attachment	FP10 FP10 FP10 FP10	
		Melany	Sigvaris	Extra small Small Medium Large	EGD85066 EGD85055 EGD85064 EGD85065	1 1 1 1
<b>Compression Therapy (Hospital/Community)</b>	Compression Bandages	UrgoK2 Reduced Kit & latex free	Urgo	18-25cm 25-32cm 18-25 (latex free) 25-32 (latex free)	ECA205 ECA206 ECA234 ECA235	1 1 1 1
		Urgo K2 Full Kit & latex free	Urgo	18-25cm 25-32cm 18-25 (latex free) 25-32 (latex free)	ECA152 ECA164 ECA236 ECA237	5 5 5 5
		Coban 2 compression system Comfort Foam Layer	3M	5cmx1.2m 15cmx3.5m 10cmx3.5m	ECA209 ECA211 ECA210	32 10 18
		Coban 2 Compression system compression Layer	3M	5cmx2.7m 10cmx4.5m 15cmx4.5m	ECA213 ECA214 ECA215	32 32 15



		Coban 2 Lite compressions System Comfort Foam Layer	3M	7.5cmx2.7m 10cmx2.7m 15cmx2.7m	ECA217 ECA218 ECA219	18 18 12
		Coban 2 Lite Compression system compression Layer	3M	7.5cmx3.5m 10cmx3.5m 15cmx3.5m 2.5cmx3.5m	ECA221 ECA222 ECA223 ECA220	32 32 15 36
		Actico	L&R	8cmx6m 10cmx6m 12cmx6m	EBA032 EBA016 EBA033	1 1 1
		Cellona Padding	L&R	10cmx2.7m	EPA035	48
		K-Plus	Urgo Medical	10cmx8.7m 10cmx10.25m	ECA162 ECA172	24 24
		Ko-Flex	Urgo Medical	10cmx6m 10cmx7m	ECD018 ECD028	18 18
		Mollelast	L&R	4cmx4m	EBA064	20
<b>MASD</b> <i>(Hospital/Community)</i>	Barrier Products	Medi Derma-S Barrier Film	Medicareplus International	1ml foam applicator 3ml foam applicator	ELY532 ELY533	5 5
		Medi Derma-s Total Barrier Cream	Medicareplus International	28g 90g	ELY563 ELY538	1 1

				2g (x20) sachets	ELY536	20
		Medihoney Barrier Cream	Integra Lifesciences	50g tube 2g (x20) sachets	ELY289 ELY374	1 20
		Medi Derma Pro Ointment	Medicareplus International	115g	ELY607	1
		Medi Derma-Pro Cleanser	Medicareplus International	250ml spray	ELY608	1
		Cavilon Advanced Liquid Foam Applicator	3M	0.7ml 2.7ml	ELY841 ELY985	20 20
<b>Adhesive remover (Hospital/Community)</b>	Adhesive tape remover	Liftease medical adhesive remover wipes	Medicareplus International	Wipes	EXC042	30
		Peel easy spray	CD Medical	50ml Aerosol	EXC043	12
<b>NPWT (Hospital/Community)</b>	Renasys	Renasys-G (gauze dressing kit with softport) Kit	Smith & Nephew	Small Medium Large	ELZ512 ELZ513 ELZ514	1 1 1
		Renasys-F (foam dressing kit with softport)	Smith & Nephew	Small Medium Large Abdominal Kit	ELZ509 ELZ510 ELZ511 ELZ519	1 1 1 1
		Renasys-G Drain kit	Smith & Nephew	Channel Drain full kit	ELZ532	1

				Flat Drain full kit	ELZ531	1
				Channel Drain only	ELZ528	1
				Flat Drain only	ELZ527	1
		PICO 7, 2 dressing kit	Smith & Nephew	10cmx20cm	ELZ899	1
				15cmx15cm	ELZ901	1
				10cmx30cm	ELZ900	1
				10cmx40cm	ELZ912	1
				15cmx20cm	ELZ913	1
				15cmx30cm	ELZ914	1
				20cmx20cm	ELZ915	1
				25cmx25cm	ELZ916	1
				Multisite 15x20cm	ELZ917	1
				Multisite 20x25cm	ELZ918	1
		Canister	Smith & Nephew	300ml	ELZ718	1
				800ml	ELZ719	1
		Y-connector	Smith & Nephew	One	ELZ518	1
		Kerlix AMD Gauze	H&R Health Care	11.4cmx3.7m Gauze wound filler Roll	ELZ968	1x pack of 5
		Foam Filler	Smith & Nephew	10cmx12.5cm	ELZ427	1
		Renasys Adhesive Gel Patch	Smith & Nephew		ELZ440	10
		Renasys Touch Carry Bag	Smith & Nephew		ELZ729	1

		Renasys Touch Carry Straps	Smith & Nephew		ELZ730	1
		Renasys White Foam	Smith & Nephew	Small Large	ELZ966 ELZ967	1 1
<b>Wound Manager Bags (Hospital/Community)</b>	Eakin	Eakin wound Pouch	Eakin	45mmx30mm Small pouch with bung closure	GDB093	10
				86mmx60mm Small plus pouch with bung closure	GCC1486	10
				110mmx75mm medium pouch with bung closure	GCC1089	10
				250mmx80mm midi pouch with bung closure (vertical)	GCC1489	10
				175mmx110mm Large pouch with bung closure	GDB095	10
				245mmx160mm extra large pouch with bung closure (horizontal)	GCC1094	5
				245mmx160mm extra large pouch with bung closure (vertical)	GCC1092	5
				290mmx130mm extra large pouch	GDB099	5

				with bung closure (vertical)		
<b>Off-loading Devices</b>	Heel/Foot Protectors	Devon Foam Heel Protector	H&R Healthcare	One size	FES10507	36
		Heel Pro Advanced Protection Boot	Talarmade	One size	GAA124	10
<b>Bandage shoe</b>	Bandage shoe	Kerraped Boot	3M	Small	ELY253	1
				Medium	ELY252	1
				Large	ELY251	1
				Extra Large	ELY250	1
<b>Waterproof Cover</b>	Cast/bandage Waterproof Cover	Limbo	Thesis Technology	Adult half leg (slim short)	EAZ702	1
				Adult half leg (short)	EAZ707	1
				Adult half leg (large leg)	EAZ709	1
				Adult half leg (slim)	EAZ710	1
				Adult half leg (standard)	EAZ718	1
				Adult half leg (extra-large)	EAZ719	1
				Adult full leg (standard)	EAZ720	1
				Adult full leg (extra-large)	EAZ721	1

**Dressing Request & Exception Form**

**GP Dressing Request (For Nursing Home use only)**

Patients Name: Address: NHS Number: GP Name & Address:	Person Requesting: Job Title: Work Base & Telephone Number: Date of Request:	
Is this product listed on the Wound Care Formulary? Yes or No		
Product Prescription request	Product Size	Quantity required

**Dressing Exception Form (Must be completed for specialist product requests)**

Type of Wound: Size of Wound:	Location of Wound: Level of Exudate: Duration of Wound:
Formulary Products Already Tried:	Reason For Request:
Speciality Consulted: Tissue Viability Service   Lower Limb Vascular Service (acute/community)   Podiatry   Diabetic Foot Team   Other:	

Please email ALL copies of the dressing exception form to: [tissueviability.service@elht.nhs.uk](mailto:tissueviability.service@elht.nhs.uk)

